

# Notice of Allowability

Application No.

10/071,986

Examiner

Vu B. Hang

Applicant(s)

NIITSUMA, TETSUYA

Art Unit

2625

## -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to an Amendment filed on 05/17/2006.
2. ☒ The allowed claim(s) is/are 3 (renumbered as Claim 1).
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All b) ☐ Some\* c) ☐ None of the:
    1. ☒ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  5. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

JOSEPH R. POKRZYWA  
PRIMARY EXAMINER

### DETAILED ACTION

- This office action is responsive to the following communication: Amendment filed on 05/17/2006.
- Claim 3 is pending. Claims 1-2 have been cancelled.

### *Allowable Subject Matter*

The following is a statement of reasons for the indication of allowable subject matter:

Regarding **Claim 3**, in the examiner's opinion, it would not have been obvious to have the invention as claimed. The closest prior art of record cited Hisatake (US Patent 6,065,036), Atobe et al. (US Patent 6,281,979 B1) and Yoshida et al. (US Patent 6,130,757), fails to teach or suggest "a remaining capacity detecting means for detecting a remaining capacity the first storage means; a first necessary storage capacity estimating means for estimating a first storage capacity so as to preserve the first storage capacity as a first threshold value; a second necessary storage capacity estimating means for estimating a first storage capacity so as to preserve the second storage capacity as a second threshold value; and a second control means for transmitting the image data, of a job having a lowest priority order among the plurality of jobs, from the first storage means to the second storage means when the remaining capacity of the first storage means becomes not more than the first threshold value; and for returning the image data, of the job having the highest priority order among the plurality of jobs stored on the second storage means, from the second storage means to the first storage means when the remaining capacity of the first storage means recovers to not less than the second threshold value". Including the

above-mentioned features of Claim 3 to a multi-job copying machine, in the examiner's opinion, would not have been obvious. Therefore, because of these features, Claim 3 is allowable.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance".

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vu B. Hang whose telephone number is (571) 272-0582. The examiner can normally be reached on Monday-Friday, 9:00am - 6:00pm.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Twyler M. Lamb can be reached on (571) 272-7406. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/071,986  
Art Unit: 2625

Page 4

Vu Hang  
Assistant Examiner



JOSEPH R. POKRZYWA  
PRIMARY EXAMINER